

2019

Spranz DM, Bruttel H, Eckerle JM, Wolf SI, Berrsche G, Maier MW. Variation of the glenohumeral and scapulothoracic motion in progressive severity of glenohumeral osteoarthritis. *Orthop Traumatol Surg Res.* 2019 Nov 11. pii: S1877-0568(19)30236-1. doi: 10.1016/j.otsr.2019.07.010.

Innmann MM, Weishorn J, Bruckner T, Streit MR, Walker T, Gotterbarm T, Merle C, Maier MW. Fifty-six percent of proximal femoral cortical hypertrophies 6 to 10 years after Total hip arthroplasty with a short Cementless curved hip stem - a cause for concern? *MC Musculoskelet Disord.* 2019 May 29;20(1):261. doi: 10.1186/s12891-019-2645-6.

Maier MW, Aschauer S, Wolf SI, Dreher T, Merle C, Bitsch RG. Three dimensional gait analysis in patients with symptomatic component mal-rotation after total knee arthroplasty. *Int Orthop.* 2019 Jun;43(6):1371-1378. doi: 10.1007/s00264-018-4118-1.

Bruttel H, Spranz DM, Bülhoff M, Aljohani N, Wolf SI, Maier MW. Comparison of glenohumeral and humerothoracal range of motion in healthy controls, osteoarthritic patients and patients after total shoulder arthroplasty performing different activities of daily living. *Gait Posture.* 2019 Jun;71:20-25. doi: 10.1016/j.gaitpost.2019.04.001.

2018

Bollmann J, Bergdolt C, Aldinger PR, Maier MW, Gotterbarm T, Merle C. Size of ischial fibro-ostosis is associated with heterotopic ossification after total hip arthroplasty. *Int Orthop.* 2019 Oct;43(10):2253-2259. doi: 10.1007/s00264-018-4234-y. Epub 2018 Dec 13.

Maier MW, Hetto P, Raiss P, Klotz M, Bülhoff M, Spranz D, Zeifang F. Cementless humeral head resurfacing for degenerative glenohumeral osteoarthritis fails at a high rate. *J Orthop.* 2018 Feb 21;15(2):349-353. doi: 10.1016/j.jor.2018.02.013. eCollection 2018 Jun

Klotz MC, Krautwurst BK, Hirsch K, Niklasch M, Maier MW, Wolf SI, Dreher T. Does additional patella tendon shortening influence the effects of multilevel surgery to correct flexed knee gait in cerebral palsy: A randomized controlled trial. *Gait Posture.* 2018 Feb;60:217-224. doi: 10.1016/j.gaitpost.2017.12.004.

Innmann MM, Maier MW, Streit MR, Grammatopoulos G, Bruckner T, Gotterbarm T, Merle C. Additive Influence of Hip Offset and Leg Length Reconstruction on Postoperative Improvement in Clinical Outcome After Total Hip Arthroplasty. *J Arthroplasty.* 2018 Jan;33(1):156-161. doi: 10.1016/j.arth.2017.08.007.

2017

Hetto P, Bülhoff M, Sowa B, Klotz MC, Maier MW. How does reverse shoulder replacement change proprioception in patients with cuff tear arthropathy? A prospective optical 3D motion analysis study. *J Orthop.* 2017 Sep 21;14(4):577-581. doi: 10.1016/j.jor.2017.09.001. eCollection 2017 Dec.

Spranz DM, Bruttel H, Wolf SI, Zeifang F, Maier MW. Functional midterm follow-up comparison of stemless total shoulder prostheses versus conventional stemmed anatomic shoulder prostheses using a 3D-motion-analysis. *BMC Musculoskelet Disord.* 2017 Nov 21;18(1):478. doi: 10.1186/s12891-017-1835-3.

Maier MW, Erhard S, Niklasch M, Wolf S.I., Zeifang F, Raiss P. 3 D motion analysis for validation of shoulder internal rotation. *Arch Orthop Trauma Surg.* 2017 Jun;137(6):735-741. doi: 10.1007/s00402-017-2656-4. Epub 2017 Apr 4.

Hendrik Bruttel, David Spranz, Jan M. Eckerle, Michael W. Maier. Shoulder Joint Replacement and Upper Extremity Activities of Daily Living. *Handbook of Human Motion* 2017 Feb. doi:10.1007/978-3-319-30808-1_84-1.

2016

Klotz MC, Hirsch K, Heitzmann D, Maier MW, Hagmann S, Dreher T. Distal femoral extension and shortening osteotomy as a part of multilevel surgery in children with cerebral palsy. *World J Pediatr.* 2016 Dec 23. doi: 10.1007/s12519-016-0086-y.

2015

Maier MW, Streit MR, Innmann M, Krüger M, Nadorff J, Kretzer JP, Ewerbeck V, Gotterbarm T. Cortical hypertrophy with a short, curved uncemented hip stem does not have clinical impact during early follow up. *BMC Musculoskelet Disord.* 2015 Dec 1;16(1):371. doi: 10.1186/s12891-015-0830-9.

Rettig O, Krautwurst B, Maier MW, Merkle T, Rempp S, Wolf SI. Definition of anatomical zero positions for assessing shoulder pose with 3D motion capture during bilateral abduction of the arms. *BMC Musculoskelet Disord.* 2015 Dec 9;16(1):383. doi: 10.1186/s12891-015-0840-7.

Klotz MC, Heitzmann D, Wolf SI, Niklasch M, Maier MW, Dreher T. The influence of timing of knee recurvatum 1 on surgical outcome in cerebral palsy. *Res Dev Disabil.* 2015 Nov 18;48:186-192. doi: 10.1016/j.ridd.2015.09.017.

Maier MW, Lauer S, Klotz MC, Bülhoff M, Spranz D, Zeifang F. Are there differences between stemless and conventional stemmed shoulder prostheses in the treatment of glenohumeral osteoarthritis? *BMC Musculoskelet Disord.* 2015 Oct 1;16:275. doi: 10.1186/s12891-015-0723-y.

Maier MW, Kuhs F, Streit MR, Schuhmacher P, Walker T, Ewerbeck V, Gotterbarm T. Unicompartmental knee arthroplasty in patients with full versus partial thickness cartilage loss (PTCL): equal in clinical outcome but with higher reoperation rate for patients with PTCL. *Arch Orthop Trauma Surg.* 2015 Aug;135(8):1169-75. doi: 10.1007/s00402-015-2236-4.

Schwarze M, Weber MA, Lehner B, Maier MW. Sezernierende und destruierende Infektion des Fußes. *Radiologe.* 2015 Jun 26. [Epub ahead of print] German. Doi: 10.1007/s00117-015-2865-1.

Kasten P, Zwingenberger S, Nowotny J, Maier M. Goldstandard zementiertes Glenoid Technik und Ergebnisse. Obere Extremität. DOI 10.1007/s11678-015-0316-2. Published online 21 Mai 2015.

Maier MW, Zeifang F, Caspers M, Dreher T, Klotz MC, Rettig O, Wolf SI, Kasten P. Can reverse shoulder arthroplasty in post-traumatic revision surgery restore the ability to perform activities of daily living? Orthop Traumatol Surg Res. 2015 Apr;101(2):191-6. doi: 10.1016/j.otsr.2014.12.007.

Maier MW, Lauer S, Wolf SI, Dreher T, Klotz MC, Zeifang F, Rickert M. Low preoperative Constant score is a negative predictive factor for postoperative proprioception after total shoulder arthroplasty in osteoarthritis. Arch Orthop Trauma Surg. 2015 Feb;135(2):171-7. doi: 10.1007/s00402-014-2148-8.

2014

Maier MW, Caspers M, Zeifang F, Dreher T, Klotz MC, Wolf SI, Kasten P. How does reverse shoulder replacement change the range of motion in activities of daily living in patients with cuff tear arthropathy? A prospective optical 3D motion analysis study. Arch Orthop Trauma Surg. 2014 Aug;134(8):1065-71. doi: 10.1007/s00402-014-2015-7.

Maier MW, Niklasch M, Dreher T, Zeifang F, Rettig O, Klotz MC, Wolf SI, Kasten P. Motion patterns in activities of daily living: 3- year longitudinal follow-up after total shoulder arthroplasty using an optical 3D motion analysis system. BMC Musculoskelet Disord. 2014 Jul 21;15:244. doi: 10.1186/1471-2474-15-244.

Klotz MC, Wolf SI, Heitzmann D, Maier MW, Braatz F, Dreher T. The association of equinus and primary genu recurvatum gait in cerebral palsy. Res Dev Disabil. 2014 Jun;35(6):1357-63. doi: 10.1016/j.ridd.2014.03.032.

Pepke W, Nadorf J, Ewerbeck V, Streit MR, Kinkel S, Gotterbarm T, Maier MW, Kretzer JP. Primary stability of the Fitmore® stem: biomechanical comparison. Int Orthop. 2014 Mar;38(3):483-8. doi: 10.1007/s00264-013-2138-4.

Maier MW, Neubauer E, Schiltenwolf M. Multimodale Schmerztherapie zur Behandlung chronischer Schmerzen am Stütz- und Bewegungsapparat. Internistische Praxis. S 403; ip 54 (2014).

Maier MW, Zeifang F, Niklasch M, Dreher T, Loew M, Kasten P, Wolf SI. 3D motion capture using the HUX model for monitoring functional changes with arthroplasty in patients with degenerative osteoarthritis. Gait Posture. 2014 Jan;39(1):7-11. doi: 10.1016/j.gaitpost.2013.07.111.

2013

Rettig O, Maier MW, Gantz S, Raiss P, Zeifang F, Wolf SI. Does the reverse shoulder prosthesis medialize the center of rotation in the glenohumeral joint? Gait Posture. 2013 Jan;37(1):29-31. doi: 10.1016/j.gaitpost.2012.04.019.

M. M. Innmann, M. R. Streit, C. Merle, M. W. Maier, T. Gotterbarm. 10-Jahresergebnisse der 28mm-Metasul Metall-Metall Gleitpaarung in der primären Hüftendoprothetik bei Patienten unter 50 Jahren. Orthopädische Nachrichten Kongressausgaben zum VSOU 2013.

2012

Dreher T, Wolf SI, Maier M, Hagmann S, Vegvari D, Gantz S, Heitzmann D, Wenz W, Braatz F. Long-term results after distal rectus femoris transfer as a part of multilevel surgery for the correction of stiff-knee gait in spastic diplegic cerebral palsy. *J Bone Joint Surg Am.* 2012 Oct 3;94(19):e142(1-10). doi: 10.2106/JBJS.K.01300.

Maier MW, Niklasch M, Dreher T, Wolf SI, Loew M, Zeifang F, Kasten P. Proprioception three years after total, hemi and reverse shoulder arthroplasty in 3D motion analyses: a prospective study. *Arch Orthop Trauma Surg.* 2012 Jul;132(7):1003-10. doi: 10.1007/s00402-012-1495-6.

T. Gotterbarm, M.W. Maier, V. Ewerbeck. Hüftgelenkersatz bei Verschleiß und Frakturen - Was leisten moderne Kunstgelenke? *Mobiles Leben -Knochengesundheit Aktuell-* Jahrgang 24 – 4 2012.

Dreher T, Brunner R, Vegvari D, Heitzmann D, Gantz S, Maier MW, Braatz F, Wolf SI. The effects of muscle-tendon surgery on dynamic electromyographic patterns and muscle tone in children with cerebral palsy. *Gait Posture.* 2013 Jun;38(2):215-20. doi:10.1016/j.gaitpost.2012.11.013.

2011

Maier MW, Kasten P. Recent Advances in Arthroplasty: Development of Proprioception after shoulder arthroplasty. Intech Open Access Publisher ISBN 978-953-307-990-5. Nov 2011.

2010

Kasten P, Maier M, Wendy P, Rettig O, Raiss P, Wolf S, Loew M. Can shoulder arthroplasty restore the range of motion in activities of daily living? A prospective 3D video motion analysis study. *J Shoulder Elbow Surg.* 2010 Mar;19(2 Suppl):59-65.

P. Raiss, M. W. Maier, S. Wolf, O. Rettig, M. Loew, P. Kasten. Die 3D-Bewegungsanalyse der oberen Extremität und ihre Anwendung in der Schulterendoprothetik. Obere Extremität. Springer. März 2010 DOI: 10.1007/s11678-010-0059-z.

2009

Kasten P, Maier M, Wendy P, Rettig O, Raiss P, Wolf S, Loew M. Proprioception in total, hemi- and reverse shoulder arthroplasty in 3D motion analyses: a prospective study. *Int Orthop.* 2009 Dec;33(6):1641-7.