

Publikationsliste Prof. Dr. Stefan Hinterwimmer

Minzlaff P, Heidt T, Feucht MJ, Plath JE, **Hinterwimmer S**, Imhoff AB, Saier T.
Patient satisfaction with health is substantially improved following ACL reconstruction.

Knee Surg Sports Traumatol Arthrosc. 2017,26. [Epub ahead of print]

Pape D, **Hinterwimmer S**.
Osteotomy around the Knee.
Orthopäde. 2017,46:557.

Feucht MJ, Mehl J, Forkel P, Imhoff AB, **Hinterwimmer S**.
Distal femoral osteotomy using a lateral opening wedge technique.
Oper Orthop Traumatol. 2017,29:320-9.

Tischer T, Paul J, Pape D, Hirschmann MT, Imhoff AB, **Hinterwimmer S**, Feucht MJ.
The Impact of Osseous Malalignment and Realignment Procedures in Knee Ligament Surgery: A Systematic Review of the Clinical Evidence.
Orthop J Sports Med. 2017,27:5

Hinterwimmer S.
Positive and negative predictors of long-term results after an osteotomy around the knee joint.
Orthopäde. 2017,46:563-8.

Mehl J, Paul J, Feucht MJ, Bode G, Imhoff AB, Südkamp NP, **Hinterwimmer S**.
ACL deficiency and varus osteoarthritis: high tibial osteotomy alone or combined with ACL reconstruction?
Arch Orthop Trauma Surg. 2017,137:233-40.

Saier T, Minzlaff P, Feucht MJ, Lämmle L, Burghoff M, Ihle C, Imhoff AB, **Hinterwimmer S**.
Health-related quality of life after open-wedge high tibial osteotomy.
Knee Surg Sports Traumatol Arthrosc. 2017,25:934-42.

Slevin O, Ayeni OR, **Hinterwimmer S**, Tischer T, Feucht MJ, Hirschmann MT.
The role of bone void fillers in medial opening wedge high tibial osteotomy: a systematic review.
Knee Surg Sports Traumatol Arthrosc. 2016,24:3584-98.

Holwein C, **Hinterwimmer S**, Mayr HO, Lämmle L, Brucker PU, Münch EO, Imhoff AB.
Functional outcome after transphyseal anterior cruciate ligament reconstruction in young patients with open growth plates.
Knee. 2016,23:1121-32.

Best R, Brucker PU, **Hinterwimmer S**.
Journal Sportverletzung Sportschaden--Quo vadis 2016?
Sportverletz Sportschaden. 2016,30:25.

Hinterwimmer S, Feucht MJ, Paul J, Kirchhoff C, Sauerschnig M, Imhoff AB, Beitzel K.
Analysis of the effects of high tibial osteotomy on tibial rotation.
Int Orthop. 2016,40:1849-54.

Minzlaff P, Feucht MJ, Saier T, Cotic M, Plath JE, Imhoff AB, **Hinterwimmer S**.
Can young and active patients participate in sports after osteochondral autologous transfer combined with valgus high tibial osteotomy?
Knee Surg Sports Traumatol Arthrosc. 2016,24:1594-600.

Feucht MJ, Cotic M, Saier T, Minzlaff P, Plath JE, Imhoff AB, **Hinterwimmer S**.
Patient expectations of primary and revision anterior cruciate ligament reconstruction.
Knee Surg Sports Traumatol Arthrosc. 2016,24:201-7.

Cotic M, Vogt S, Feucht MJ, Saier T, Minzlaff P, **Hinterwimmer S**, Imhoff AB.
Prospective evaluation of a new plate fixator for valgus-producing medial open-wedge high tibial osteotomy.
Knee Surg Sports Traumatol Arthrosc. 2015,23:3707-16.

Ueblacker P, Müller-Wohlfahrt HW, **Hinterwimmer S**, Imhoff AB, Feucht MJ.
Suture anchor repair of proximal rectus femoris avulsions in elite football players.
Knee Surg Sports Traumatol Arthrosc. 2015,23:2590-4.

Lorenz S, Ahrens P, Kirchhoff S, Wolf P, **Hinterwimmer S**, Obermeier A, Beirer M, Kirchhoff C.
Dynamic quantification of tibio-femoral rotation in postero-lateral bundle insufficiency of the anterior cruciate ligament: a cadaver study.
Int Orthop. 2015,39:865-70.

Cotic M, Vogt S, **Hinterwimmer S**, Feucht MJ, Slotta-Huspenina J, Schuster T, Imhoff AB.
A matched-pair comparison of two different locking plates for valgus-producing medial open-wedge high tibial osteotomy: peek-carbon composite plate versus titanium plate.
Knee Surg Sports Traumatol Arthrosc. 2015,23:2032-40.

Feucht MJ, Minzlaff P, Saier T, Lenich A, Imhoff AB, **Hinterwimmer S**.
Avulsion of the anterior medial meniscus root: case report and surgical technique.
Knee Surg Sports Traumatol Arthrosc. 2015,23:146-51.

Minzlaff P, Saier T, Brucker PU, Haller B, Imhoff AB, **Hinterwimmer S**.
Valgus bracing in symptomatic varus malalignment for testing the expectable "unloading effect" following valgus high tibial osteotomy.

Knee Surg Sports Traumatol Arthrosc. 2015,23:1964-70.

Feucht MJ, Plath JE, Seppel G, **Hinterwimmer S**, Imhoff AB, Brucker PU. Gross anatomical and dimensional characteristics of the proximal hamstring origin. Knee Surg Sports Traumatol Arthrosc. 2015,23:2576-82.

Paul J, **Hinterwimmer S**, Vavken P, Wörtler K, Imhoff AB. *Association between Hindfoot Alignment and Localisation of Osteochondral Lesions of the Talus.* Z Orthop Unfall. 2014,152:389-92.

Feucht MJ, Minzlaff P, Saier T, Cotic M, Südkamp NP, Niemeyer P, Imhoff AB, **Hinterwimmer S**. *Degree of axis correction in valgus high tibial osteotomy: proposal of an individualised approach.* Int Orthop. 2014,38:2273-80.

Hinterwimmer S, Minzlaff P, Saier T, Niemeyer P, Imhoff AB, Feucht MJ. *Biplanar supracondylar femoral derotation osteotomy for patellofemoral malalignment: the anterior closed-wedge technique.* Knee Surg Sports Traumatol Arthrosc. 2014,22:2518-21.

Hinterwimmer S, Mehl J. *Combination of ACL-replacement and high tibial osteotomy.* Oper Orthop Traumatol. 2014,26:43-55.

Sauerschnig M, Bauer JS, Kohn L, **Hinterwimmer S**, Landwehr S, Woertler K, Jungmann PM, Koestler W, Niemeyer P, Imhoff AB, Salzmann GM. *Alignment does not influence cartilage T2 in asymptomatic knee joints.* Knee Surg Sports Traumatol Arthrosc. 2014,22:1396-403.

Hinterwimmer S, Feucht MJ, Steinbrech C, Graichen H, von Eisenhart-Rothe R. *The effect of a six-month training program followed by a marathon run on knee joint cartilage volume and thickness in marathon beginners.* Knee Surg Sports Traumatol Arthrosc. 2014,22:1353-9.

Minzlaff P, Feucht MJ, Saier T, Schuster T, Braun S, Imhoff AB, **Hinterwimmer S**. *Osteochondral autologous transfer combined with valgus high tibial osteotomy: long-term results and survivorship analysis.* Am J Sports Med. 2013,41:2325-32.

Hinterwimmer S., Imhoff AB, Minzlaff P, Saier T, Rosenstiel N, Hawe W, Feucht MJ. *Anatomical two-bundle medial patellofemoral ligament reconstruction with hardware-free patellar graft fixation: technical note and preliminary results.* Knee Surg Sports Traumatol Arthrosc. 2013,21:2147-54.

Kohn L, Sauerschnig M, Iskansar S, Lorenz S, Meidinger G, Imhoff AB, **Hinterwimmer S.**
Age does not influence the clinical outcome after high tibial osteotomy.
Knee Surg Sports Traumatol Arthrosc. 2013,21:146-51.

Feucht MJ, Mauro CS, Brucker PU, Imhoff AB, **Hinterwimmer S.**
The role of the tibial slope in sustaining and treating anterior cruciate ligament injuries.
Knee Surg Sports Traumatol Arthrosc. 2013,21:134-45.

Burghardt RD, **Hinterwimmer S.**, Burklein D, Baumgart R.
Lower limb alignment in the frontal plane: analysis from long standing radiographs and computer tomography scout views: an experimental study.
Arch Orthop Trauma Surg. 2013,133:29-36.

Vogt S, Angele P, Arnold M, Brehme K, Cotic M, Haasper C, **Hinterwimmer S.**,
Imhoff AB, Petersen W, Salzmann G, Steinwachs M, Venjakob A, Mayr HO.
Practice in rehabilitation after cartilage therapy: an expert survey.
Arch Orthop Trauma Surg. 2013,133:311-20.

Kirchhoff C, Kirchhoff S, Sprecher CM, Ahrens P, Imhoff AB, **Hinterwimmer S.**,
Milz S, Braunstein V.
X-treme CT analysis of cancellous bone at the rotator cuff insertion in human individuals with osteoporosis: superficial versus deep quality.
Arch Orthop Trauma Surg. 2013,133:381-7.

Kirchhoff C, Braunstein V, Milz S, Sprecher CM, Kirchhoff S, Graw M, Imhoff AB, **Hinterwimmer S.**
Age and gender as determinants of the bone quality of the greater tuberosity: A HR-pQCT cadaver study.
BMC Musculoskelet Disord. 2012,13:221.

Hinterwimmer S., Feucht M, Imhoff AB.
Hohe tibiale Osteotomie bei Varusgonarthrose. Indikation, Technik, Ergebnisse.
Arthroskopie. 2012,25:184-94.

Hinterwimmer S., Rosenstiel N, Lenich A, Waldt S, Imhoff AB.
Femorale Osteotomien bei patellofemoraler Instabilität.
Unfallchirurg. 2012,115:410-6.

Paul J, Sagstetter M, Lämmle L, Spang J, ElAzab H, Imhoff AB, **Hinterwimmer S.**
Sports activity after osteochondral transplantation of the talus.
Am J Sports Med. 2012,40:870-4.

von Eisenhart-Rothe R, Lenze U, **Hinterwimmer S.**, Pohlig F, Graichen H, Stein T, Welsch F, Burgkart R.
Tibiofemoral and patellofemoral joint 3D-kinematics in patients with posterior cruciate ligament deficiency compared to healthy volunteers.

BMC Musculoskelet Disord. 2012,13:231.

Hinterwimmer S., Beitzel K, Paul J, Kirchhoff C, Sauerschnig M, von Eisenhart-Rothe R, Imhoff AB.

Control of posterior tibial slope and patellar height in open-wedge valgus high tibial osteotomy.

Am J Sports Med. 2011,39:851-6.

Imhoff AB, Paul J, Ottinger B, Wörtler K, Lämmle L, Spang J, **Hinterwimmer S.**
Osteochondral transplantation of the talus: long-term clinical and magnetic resonance imaging evaluation.

Am J Sports Med. 2011,39:1487-93.

Meidinger G, Imhoff AB, Paul J, Kirchhoff C, Sauerschnig M, **Hinterwimmer S.**
May smokers and overweight patients be treated with a medial open-wedge HTO? Risk factors for non-union.

Knee Surg Sports Traumatol Arthrosc. 2011,19:333-9.

Glanzmann MC, **Hinterwimmer S.**, Woertler K, Imhoff AB.

Osteoid osteoma of the coracoid masked as localized capsulitis of the shoulder.

J Shoulder Elbow Surg. 2011,20:4-7.

Buchmann S, Walz L, Sandmann GH, Hoppe H, Beitzel K, Wexel G, Battmann A, Vogt S, **Hinterwimmer S.**, Imhoff AB.

Rotator cuff changes in a full thickness tear rat model: verification of the optimal time interval until reconstruction for comparison to the healing process of chronic lesions in humans.

Arch Orthop Trauma Surg. 2011,131:429-35.

Ahrens P, Kirchhoff C, Fischer F, Heinrich P, v. Eisenhart-Rothe R, **Hinterwimmer S.**, Kirchhoff S, Imhoff AB, Lorenz SG.

A novel tool for objective assessment of femorotibial rotation: a cadaver study.

Int Orthop. 2011,35:1611-20.

Hinterwimmer S., Rauch A, Kohn L, Imhoff AB.

Hohe tibiale Osteotomie bei anteromedialer oder posterolateraler Knieinstabilität.

Arthroscopie 2010,23:14-22.

Kirchhoff C, Braunstein V, Milz S, Sprecher CM, Fischer F, Tami A, Ahrens P, Imhoff AB, **Hinterwimmer S.**

Assessment of Bone Quality Within the Tuberosities of the Osteoporotic Humeral Head: Relevance for Anchor Positioning in Rotator Cuff Repair.

Am J Sports Med. 2010,38:564-9.

El-Azab H, Klabklay P, Paul J, Imhoff AB, **Hinterwimmer S.**

Patellar Height and Posterior Tibial Slope After Open- and Closed-Wedge High Tibial Osteotomy: A Radiological Study on 100 Patients.

Am J Sports Med. 2010,38:323-9.

von Eisenhart-Rothe R, Mayr HO, **Hinterwimmer S.**, Graichen H.
3D Assessment of Glenohumeral Shape, Humeral Head Centering, and Scapular Positioning in At- traumatic Shoulder Instability: A Magnetic Resonance-Based In Vivo Analysis.
Am J Sports Med. 2010,38:375-82.

Glanzmann MC, Hensler D, **Hinterwimmer S.**, Waldt S, Imhoff AB.
Eine seltene Kombinationsverletzung im Rahmen einer Schulterinstabilität.
Arthroskopie. 2010,23:62-6.

Glanzmann MC, **Hinterwimmer S.**, Imhoff AB
Eine atypische Ursache von Sprunggelenkschmerzen.
Arthroskopie. 2010,23:67-70.

Hinterwimmer S., Sauerschnig M, von Eisenhart-Rothe R.
Kniegelenksarthrose.
MMW Fortschr Med. 2009,151:72-4.

Paul J, Sagstetter A, Kriner M, Imhoff AB, Spang J, **Hinterwimmer S.**
Donor-site morbidity after osteochondral autologous transplantation for lesions of the talus.
J Bone Joint Surg Am. 2009,91:1683-8.

v. Eisenhart-Rothe R, Graichen H, Mayr H, Jäger A, Wiedemann E, **Hinterwimmer S.**
Analyse und Vergleich 2-D- vs. 3-D-Glenoidversion bei a-/traumatischer Schulterinstabilität – ist eine 3-D-Analyse notwendig?
Z Orthop Unfall. 2009,147:17-22.

Kirchhoff C, Braunstein V, Paul J, Imhoff AB, **Hinterwimmer S.**
Septic arthritis as a severe complication of elective arthroscopy:clinical management strategies.
Patient Saf Surg. 2009,3:6.

v. Eisenhart-Rothe R, Graichen H, Mayr H, Jäger A, Wiedemann E, **Hinterwimmer S.**
Analyse und Vergleich 2-D- vs. 3-D-Glenoidversion bei a-/traumatischer Schulterinstabilität – ist eine 3-D-Analyse notwendig?
Sportverletz Sportschaden. 2009,23:106-11.

Paul J, Kirchhoff C, **Hinterwimmer S.**, Imhoff AB.
Behandlung osteochondraler Läsionen am Sprunggelenk.
Arthroskopie. 2009,22:102-8.

Glanzmann MC, Siebenlist S, **Hinterwimmer S.**, Imhoff AB.
Progredienter Schulterschmerz eines 35-jährigen Hobbysportlers.
Arthroskopie. 2009,22:141-3.

Hinterwimmer S., Graichen H., Vogl TJ, Abolmaali N.
An MRI-based technique for assessment of lower extremity deformities – reproducibility, accuracy and clinical application.
Eur Radiol, 2008,18:1497-1505.

Kirchhoff C, Imhoff AB, **Hinterwimmer S.**
Schulterprothese und Wintersportfähigkeit.
Sportverletz Sportschaden. 2008,22:153-8.

Paul J, Kirchhoff C, Imhoff AB, **Hinterwimmer S.**
Infektion nach Arthroskopie.
Orthopäde. 2008,37:1048-50.

El-Azab H, Halawa A, Anetzberger H, Imhoff AB, **Hinterwimmer S.**
The effect of closed- and open-wedge high tibial osteotomy on tibial slope: a retrospective radiological review of 120 cases.
J Bone Joint Surg Br. 2008,90:1193-7.

Beitzel K, **Hinterwimmer S.**, Wörtler K, Imhoff AB.
Persistierende Schulterschmerzen nach Fahrradsturz.
Arthroskopie. 2008,21:92-5.

Paul J, **Hinterwimmer S.**, Wörtler K, Imhoff AB.
Übersehen! – Die verhakte hintere Schulterluxation.
Arthroskopie. 2008,21:188-91.

Braunstein V, Wiedemann E, Plitz W, Muensterer OJ, Mutschler W, **Hinterwimmer S.**
Operative treatment of greater tuberosity fractures of the humerus – a biomechanical analysis.
Clin Biomech. 2007,22:652-7.

Heller MO, König C, Graichen H, **Hinterwimmer S.**, Ehrig RM, Duda GN, Taylor WR.
A new model to predict in vivo human knee kinematics under physiological-like muscle activation.
J Biomech. 2007,40 Suppl 1:45-53.

Heller MO, Matziolis G, König C, Taylor WR, **Hinterwimmer S.**,
Graichen H, Hege HC, Bergmann G, Perka C, Duda GN.
Muskuloskeletale Biomechanik des Kniegelenks. Grundlagen für die präoperative Planung von Umstellung und Gelenkersatz. Review
Orthopäde. 2007,36:628-34.

Sandmann GH, **Hinterwimmer S.**, Buchmann S, Wörtler K, Imhoff AB.
Jugendlicher Leistungssportler mit Schulterschmerzen.
Arthroskopie. 2007,20:308-12.

Hinterwimmer S., v. Eisenhart-Rothe R, Gotthardt M, Sauerland S, Siebert M, Vogl T, Eckstein F, Graichen H.
In vivo Contact Areas of the Knee in Patients with Patellar Subluxation.
J Biomech. 2005,38:2095-101.

Graichen H, **Hinterwimmer S.**, von Eisenhart-Rothe R, Vogl T, Englmeier KH, Eckstein F.
Effect of Abducting and Adducting Muscle Activity on Glenohumeral Translation, Scapular Kinematics, and Subacromial Space Width in Vivo.
J Biomech. 2005,38:755-60.

Baumgart R, **Hinterwimmer S.**, Krammer M, Muensterer O, Mutschler W.
The Bioexpandable Prosthesis: A New Perspective After Resection of Malignant Bone Tumors in Children.
J Pediatr Hematol Oncol. 2005,27:452-5.

Graichen H, Al-Shamari D, **Hinterwimmer S.**, von Eisenhart-Rothe R, Vogl T, Eckstein F.
Accuracy of quantitative magnetic resonance imaging in the detection of ex vivo focal cartilage defects.
Ann Rheum Dis. 2005,64:1120-5.

Baumgart R, Burklein D, **Hinterwimmer S.**, Thaller P, Mutschler W.
The management of leg-length discrepancy in Ollier's disease with a fully implantable lengthening nail.
J Bone Joint Surg Br. 2005,87:1000-4.

Baumgart R, Krammer M, Winkler A, **Hinterwimmer S.**, Muensterer O, Mutschler W.
Reduction of high dislocation of the hip using a distraction nail before arthroplasty.
J Bone Joint Surg Br. 2005,87:565-7.

Maataoui A, Graichen H, Abolmaali ND, Khan MF, Gurung J, Straub R, Qian J, **Hinterwimmer S.**, Ackermann H, Vogl T.
Quantitative cartilage volume measurement using MRI: comparison of different evaluation techniques.
Eur Radiol. 2005,15:1550-4.

Hinterwimmer S., Krammer M, Krötz M, Glaser C, Baumgart R, Reiser M, Eckstein F.
Cartilage Atrophy in the Knees of Patients after Six Weeks of Partial Load Bearing.
Arthritis Rheum. 2004,50:2516-20.

Hinterwimmer S., Graichen H, Baumgart R, Plitz W.
Influence of a mono-centric knee brace on the tension of the collateral ligaments in knee joints after sectioning of the anterior cruciate ligament - an in vitro study.
Clin Biomech. 2004,19:719-25.

Hinterwimmer S., v. Eisenhart-Rothe R, Siebert M, Welsch F, Vogl T, Graichen H.
Patella kinematics and patello-femoral contact areas in patients with genu varum and mild osteoarthritis.

Clin Biomech. 2004,19:704-10.

Baumgart R, **Hinterwimmer S.**, Krammer M, Mutschler W.
Zentrale Zugsysteme – vollautomatische, kontinuierliche Kallusdistraction zur Behandlung langstreckiger Knochendefekte.

Biomed Tech. 2004,49:202-7.

Baumgart R, Kuhn V, **Hinterwimmer S.**, Krammer M, Mutschler W.
Zugkraftmessungen beim knöchernen Segmenttransport – in vivo Untersuchungen am Menschen.

Biomed Tech. 2004,49:248-56.

Abolmaali ND, Schmitt J, Schwarz W, Toll DE, **Hinterwimmer S.**, Vogl T.
Visualization of the articular disk of the temporomandibular joint in near-real-time MRI: feasibility study.

Eur Radiol. 2004,14:1889-94.

Wiedemann E, Biberthaler P, **Hinterwimmer S.**
Anatomie und Einteilung der Rotatorenmanschettendefekte.

Arthroscopie. 2004,17:17-26.

Hinterwimmer S., Engelschalk M, Sauerland S, Eitel F, Mutschler W.
Operative vs. konservative Therapie der vorderen Kreuzbandruptur: eine systematische Literaturübersicht.

Unfallchirurg. 2003,106:374-9.

Hinterwimmer S., Baumgart R, Plitz W.
Strain measurement at the knee ligament insertion sites.

Biomed Tech. 2003,48:11-4.

Hinterwimmer S., v. Eisenhart-Rothe R, Siebert M, Putz R, Eckstein F, Vogl T, Graichen H.

Influence of adducting and abducting muscle forces on the subacromial space width.

Med Sci Sports Exerc. 2003,35:2055-9.

Burgkart R, Glaser C, **Hinterwimmer S.**, Hudelmaier M, Englmeier KH, Reiser M, Eckstein F.

Feasibility of T and Z scores from magnetic resonance imaging data for quantification of cartilage loss in osteoarthritis.

Arthritis Rheum. 2003,48:2829-35.

Hinterwimmer S., Baumgart R, Plitz W.

Tension changes in the collateral ligaments of a cruciate ligament-deficient knee

joint: an experimental biomechanical study.
Arch Orthop Trauma Surg. 2002,122:454-8.

Hinterwimmer S., Kanz KG.

Gültigkeitsprüfung der Ottawa Knee Rules für Standard-Röntgenaufnahmen bei akuten Knieverletzungen.

Unfallchirurg. 2002,105:624-5.

Hinterwimmer S., Plitz W, Krammer M, Baumgart R.

Banddehnungsmessung am Kniegelenk - Der Dehnungsmeßstreifen und seine Alternativen.

Biomed Tech. 2002,47:130-5.

Hinterwimmer S., von Eisenhart-Rothe R, Geisler S, Kessler S.

Biochirurgisches Verfahren an zehn Patienten getestet. Maden in die Wunde – beschleunigt das die Heilung?

MMW Fortschr Med. 2001,143:42-5.