

Sandmann G., Siess W., Essler M., Lysophosphatidic acid is the unique platelet activating substance in human malignant ascites *Eur J Med Res* 2003 Sep. 29; 8 (9): 397 – 404;

Sandmann G.H., Eichhorn S., Vogt S., Adamczyk C., Aryee S., Hoberg M., Milz S., Imhoff A.B., Tischer T. Generation and characterization of a human acellular meniscus scaffold for tissue engineering *J Biomed Mater Res A*. 2009 Nov; 91 (2): 567- 74,

Ahrens P.\*, Sandmann G.\*, Bauer J.S., König B., Martetschläger F., Müller D., Siebenlist S., Kirchhoff C., Neumaier M., Biberthaler P., Stöckle U., Freude T. Balloon osteoplasty- a new technique for reduction and stabilisation of impression fractures in the tibial plateau: A cadaver study and first clinical application, *Int Orthop*. 2012 Sep;36(9):1937-40\*Contributed equally;

Sandmann GH, Ahrens P., Schaeffeler C., Bauer J.S., Kirchhoff C., Martetschläger F., Müller D., Siebenlist S., Biberthaler P. Balloon osteoplasty- a new technique for minimal-invasive reduction and stabilization of Hill-Sachs lesions of the humeral head: A cadaver study; *Int Orthop*. 2012; 36(11):2287-91

Sandmann GH, Martetschläger F., Mey L., Kraus T.M., Buchholz A., Ahrens P., Stöckle U., Freude T., Siebenlist S. Reconstruction of displaced acromio-clavicular joint dislocations using a triple suture- cerclage: description of a safe and efficient surgical technique. *Pat Saf Surg*. 2012 Oct 25; 6 (1): 25;

Sandmann GH, Ahrens P, Schaeffeler C, Bauer JS, Kirchhoff C, Martetschläger F, Müller D, Siebenlist S, Biberthaler P, Stöckle U, Freude T. Reply letter to the editor: „Is balloon osteoplasty attractive or questionable treatment for Hill-Sachs lesions?“ *Int Orthop* 2012, Nov 7

Kraus T.M., Martetschläger F., Müller D., Braun K.F., Ahrens P., Siebenlist S., Stöckle U., Sandmann GH. Return to Sports Activity after Tibial Plateau Fractures – 89 cases with minimum 24 months follow up. *Am J Sports Med*, 2012; 40(12):2845-52

Sandmann GH, Siebenlist S., Lenich A., Neumaier M., Ahrens P., Kirchhoff C., Braun K.F., Lucke M., Biberthaler P.

Traumatic elbow dislocations in bouldering, Unfallchirurg 2013, Jun 5

Sandmann GH, Adamczyk C, Grande Garcia E, Doebele S, Buettner A, Milz S, Imhoff AB, Vogt S, Burgkart R, Tischer T. Biomechanical comparison of menisci from different species and artificial constructs

BMC Musculoskelet Disord. 2013 Nov 17;14:324

Müller D, Sandmann GH, Martetschläger F, Stöckle U, Kraus TM.

[Tibial plateau fractures in alpine skiing--return to the slopes or career end?].

Sportverletz Sportschaden. 2014 Mar;28(1):24-30

Sandmann GH, Biberthaler P.

Cephalomedullary implant using an extension table. Unfallchirurg. 2015 May;118(5):463-7. German.

Sandmann GH, Biberthaler P.

Petrochanteric femoral fractures in the elderly. Unfallchirurg. 2015 May;118(5):447-62. German

Freude T, Kraus TM, Sandmann GH.

[Balloon osteoplasty as reduction technique in the treatment of tibial head fractures].

Unfallchirurg. 2015; 118(10):838-43

Häberle S\*, Sandmann GH\*, Deiler S, Kraus TM, Fensky F, Torsiglieri T, Rondak IC, Biberthaler P, Stöckle U, Siebenlist S.

Pronator quadratus repair after volar plating of distal radius fractures or not? Results of a prospective randomized trial.

Eur J Med Res. 2015 Nov 25;20:93, contributed equally

Sandmann GH, Siebenlist S, Imhoff FB, Ahrens P, Neumaier M, Freude T, Biberthaler P.

Balloon-guided inflation osteoplasty in the treatment of Hill-Sachs lesions of the humeral head: case report of a new technique.

Patient Saf Surg. 2016 Feb 1;10:4

Sandmann GH, Crönlein M, Neumaier M, Beirer M, Buchholz A, Stöckle U, Biberthaler P, Siebenlist S.

Reduction and stabilization of radial neck fractures by intramedullary pinning: a technique not only for children.

Eur J Med Res. 2016 Apr 12;21:15

Sandmann GH, Hahn D, Amereller M, Siebenlist S, Schwirtz A, Imhoff AB, Brucker PU. Mid-term Functional Outcome and Return to Sports after Proximal Hamstring Tendon Repair.

Int J Sports Med. 2016 Jun;37(7):570-6

Ahrens P, Martetschläger F, Siebenlist S, Attenberger J, Crönlein M, Biberthaler P, Stöckle U, Sandmann GH. Return to sports after plate fixation of humeral head fractures 65 cases with minimum 24-month follow-up

BMC Musculoskeletal Disord. 2017 Apr 26; 18 (1):173

Sandmann GH, Stöckle U, Freude T, Stuby FM. Balloon guided cement augmentation of iliosacral screws in the treatment of insufficiency fractures of the sacrum- description of a new method and preliminary results.

Acta Chir Orthopd Traumatol Cech, 85, 2018 (2); 1-4

Ahrens P, Mueller D, Siebenlist S, Lenich A, Stoeckle U, Sandmann GH. The influence of radio frequency ablation on intra-articular fluid temperature in the ankle joint – a cadaver study. BMC Musculoskeletal Disorders, BMC Musculoskeletal Disord. 2018 Nov 24;19(1):413. doi: 10.1186/s12891-018-2347-5.

Sandmann G, Ateschrang A, Freude T, Stöckle U, Schmölz W, Konrads C, Döbele S  
Dynamic locking screws in proximal humeral plate osteosynthesis demonstrate superior  
fixation properties: a biomechanical study.  
J Exp Orthop. 2020 Oct 12;7(1):82. doi: 10.1186/s40634-020-00293-z

### **Coautorschaften (chronologisch)**

---

Jeschke MG, Sandmann G, Schubert T, Klein D. Effect of oxidized cellulose/ collagen matrix on dermal and epidermal healing and growth factors in an acute wound. *Wound Repair Regen.*, 2005 May-Jun; 13 (3): 324-331.

Jeschke MG, Sandmann G, Finnerty CC, Herndon DN, Perreira CT, Schubert T, Klein D. The structure and composition of liposomes can affect the skin regeneration, morphology and growth factor expression in acute wounds *Gene Ther.* 2005 Vol. 12 (23):1718-1724.

Salzmann GM, Paul J, Sandmann GH, Imhoff AB, Schoettle PB. The coracoidal insertion of the coracoclavicular ligaments: an anatomic study. *Am J Sports Med.* 2008 Dec; 36 (12):2392-7.

Martetschläger F, Siebenlist S, Sandmann G, Kraus T, Stoeckle U, Lucke M. Definitive treatment in a spiral-fracture of the distal huerus shaft with severe osteoporosis after two failed osteosynthesis: problem and solution. A case report and literature review *Eur J Trauma Emerg Surg* 2010; 36:537-542.

Buchmann S, Walz L, Sandmann GH, Hoppe H, Beitzel K, Wexel G, Batmann A, Vogt S, Hinterwimmer S, Imhoff AB.

Rotator cuff changes in a full thickness tear rat model: verification of the optimal time intervall until reconstruction for comparison to the healing process of chronic lesions in human. *Arch Orthop Trauma Surg* 2011, 131(3):429-435.

Siebenlist S, Lenich A, Buchholz A, Martetschläger F, Eichhorn S, Heinrich P, Fingerle A, Doebele S, Sandmann GH, Millet PJ, Stöckle U.

Biomechanical in vitro validation of intramedullary cortical button fixation for distal biceps tendon repair: a new technique. Am J Sports Med 2011 Aug; 39(8): 1762-9.

Siebenlist S, Elser F, Sandmann GH, Buchholz A, Martetschläger F, Stöckle U.,  
The double intramedullary cortical button fixation for distal biceps tendon repair  
Knee Surg Sports Traumatol Arthrosc 2011; 19 (11): 1925- 29.

Braun KF, Siebenlist S, Sandmann G, Martetschläger F, Kraus T, Ehnert S, Neumaier M, Freude T, Stöckle U.

Recurrent hematomas of the iliopsoas muscle after total hip replacement as a differential diagnosis for chronic groin pain: case series report Orthopade 2012, 41(3):212-216.

Martetschläger F, Buchholz A, Sandmann G, Siebenlist S, Döbele S, Hapfelmeier A, Stöckle U, Millet PJ, Elser F, Lenich A. Acromioclavicular and coracoclavicular PDS augmentation for complete AC joint dislocation showed insufficient properties in a cadaver model. Knee Surg Sports Traumatol Arthrosc 2013; 21 (2):438-44.

Martetschläger F, Kraus TM, Schiele CS, Sandmann G, Siebenlist S, Braun KF, Stöckle U, Freude T, Neumaier M. Treatment of unstable distal clavicle fractures (Neer 2) with locking T-plate and additional PDS-cerclage. Knee Surg Sports Traumatol Arthrosc 2013; 21 (5):1189-94.

Buchmann S, Sandmann G, Walz L, Hoppe H, Beitzel K, Wexel G, Weiwei T, Winter G, Imhoff AB.

Refixation of the supraspinatus tendon in a rat model –Influence of continuous growth factor application on tendon structure; J Orthop Res 2013; 31(2):300-5.

Martetschläger F, Siebenlist S, Weier M, Sandmann G, Ahrens P, Braun K, Elser F, Stöckle U, Freude T. Plating of proximal humeral fractures.  
Orthopedics. 2012 Nov 1;35(11):e1606-12.

Buchholz A, Martetschlaeger F, Siebenlist S, Sandmann GH, Hapfelmeier A, Lenich A, Millet PJ, Stöckle U, Elser F.

Biomechanical comparison of intramedullary cortical button fixation and interference screw technique for subpectoral biceps tenodesis. *Arthroscopy* 29(5):845-53.

Freude T, Kraus TM, Stöckle U, Ahrens P, Siebenlist S, Neumaier M, Sandmann GH, Martetschlaeger F

Regarding „Percutaneous balloon humeroplasty for Hill-Sachs lesions: a novel technique. *J Shoulder Elbow Surg* 2013; 22(8):e18-9

Siebenlist S, Buchholz A, Zapf J, Sandmann GH, Braun KF, Martetschläger F, Hapfelmeier A, Kraus TM, Lenich A, Biberthaler P, Elser F. Double intramedullary cortical button versus suture anchors for distal biceps tendon repair: a biomechanical comparison. *Knee Surg Sports Traumatol Arthrosc*, 2015 23(3):926-33

Siebenlist S, Fischer SC, Sandmann GH, Ahrens P, Wolf P, Stöckle U, Imhoff AB, Brucker PU.

The functional outcome of forty-nine single-incision suture anchor repairs for distal biceps tendon ruptures at the elbow. *Int Orthop*. 2014 38(4):873-9

Braun KF, Siebenlist S, Sandmann GH, Martetschläger F, Kraus T, Schrödl C, Kirchhoff C, Neumaier M.

Functional results following titanium elastic-stable intramedullary nailing (ESIN) of mid-shaft clavicle fractures.

*Acta Chir Orthop Traumatol Cech*. 2014;81(2):118-21

Rauscher I, Beer AJ, Schaeffeler C, Souvatzoglou M, Crönlein M, Kirchhoff C, Sandmann G, Fürst S, Kilger R, Herz M, Ziegler S, Schwaiger M, Eiber M.

Evaluation of 18F-Fluoride PET/MR and PET/CT in Patients with Foot Pain of Unclear Cause.

*J Nucl Med*. 2015 Mar;56(3):430-5.

Beirer M, Friese H, Lenich A, Crönlein M, Sandmann GH, Biberthaler P, Kirchhoff C, Siebenlist S.

The Elbow Self-Assessment Score (ESAS): development and validation of a new patient-reported outcome measurement tool for elbow disorders.

Knee Surg Sports Traumatol Arthrosc. 2015 May

Neumaier M, Braun KF, Sandmann G, Siebenlist S. C- Reactive Protein in Orthopaedic Surgery.

Acta Chir Orthop Traumatol Cech. 2015;82(5):327-31. Review

Crönlein M, Sandmann GH, Beirer M, Wunderlich S, Biberthaler P, Huber-Wagner S. Traumatic bilateral carotid artery dissection following severe blunt trauma: a case report on the difficulties in diagnosis and therapy of an often overlooked life-threatening injury.

Eur J Med Res. 2015 Jul 22;20:62.

Pscherer S, Sandmann GH, Ehnert S, Nussler AK, Stöckle U, Freude T. Delayed Fracture Healing in Diabetics with Distal Radius Fractures.

Acta Chir Orthop Traumatol Cech. 2015;82(4):268-73.

Willinger L, Lucke M, Crönlein M, Sandmann GH, Biberthaler P, Siebenlist S.

Malpositioned olecranon fracture tension-band wiring results in proximal radioulnar synostosis.

Eur J Med Res. 2015 Oct 29;20:8

Crönlein M, Rauscher I, Beer AJ, Schwaiger M, Schöffeler C, Beirer M, Huber S, Sandmann GH, Biberthaler P, Eiber M, Kirchhoff C.

Visualization of stress fractures of the foot using PET-MRI: a feasibility study.

Eur J Med Res. 2015 Dec 23;20:99.

Döbele S, Deininger C, Sandmann GH, Schmitt A, Freude T, Stöckle U, Lucke M. New Method for Monitoring Partial Weight Bearing (PWB) of Outpatients with an Independent Insole Sensor System.

Acta Chir Orthop Traumatol Cech. 2016;83(2):88-93

Beirer M, Sandmann GH, Imhoff AB, Buchmann S.

[Surgical treatment of posterosuperior impingement (PSI)].

Oper Orthop Traumatol. 2016; 28(6):430-437

Ehnert S, Sreekumar V, Aspera-Werz RH, Sajadian SO, Wintermeyer E, Sandmann GH, Bahrs C, Hengstler JG, Godoy P, Nussler AK

TGF- $\beta_1$  impairs mechanosensation of human osteoblasts via HDAC6-mediated shortening and distortion of primary cilia

J Mol Med (Berl) 2017; 95(6):653-663

Crönlein M, Zyskowski M, Beirer M, Imhoff FB, Pfürringer D, Sandmann GH, Kirchhoff C, Biberthaler P, Siebenlist S

Using an anatomically preshaped low-profile locking plate system leads to reliable results in comminuted radial head fractures

Arch Orthop Trauma Surg 2017; 137(6):789-795

Venjakob AJ, Föhr P, Henke F, Tischer T, Sandmann GH, Blanke F, Imhoff AB, Milz S, Burgkart R, Vogt S. Influence of sutures on cartilage integrity: do meniscus sutures harm cartilage? An experimental animal study Arthroscopy. 2019 May;35(5):1509-1516. doi: 10.1016/j.arthro.2018.11.040.

Siebenlist S, Schmitt A, Imhoff AB, Lenich A, Sandmann GH, Braun KF, Kirchhoff C, Biberthaler P, Buchholz A. Intramedullary Cortical Button Repair for Distal Biceps Tendon Rupture: A Single-Center Experience.

J Hand Surg Am. 2019 May;44(5):418.e1-418.e7. doi: 10.1016/j.jhssa.2018.07.005.

### **Sonstige Publikationen**

---

Swol- Ben J., Sandmann G., Schlitt H. J., Fürst A. Endosonographische Darstellung seltener anorektaler Tumoren *Coloproctology* 2004; 26 (3): 145-151

Salzmann G.M., Sandmann G., Imhoff A.B. Die Sportlerschulter. *Orthopädie & Rheuma* 6/2005



Sandmann GH, Imhoff A.B. Trochlea- Shields lindern die Beschwerden.

*Orthopädische Nachrichten* 1/2006

Sandmann GH, Tischer T., Eichbichler A., Salzmann G.M., Rose T., Imhoff A.B.;

Arthroskopische Therapie der SLAP-Läsion *MOT* 6/2006

Sandmann GH, Wörtler K., Imhoff A.B. Rolltreppensturz mit schwerwiegenden Folgen für die Schulter. *Arthroskopie*. 2007; Vol. 20 (2): 154- 57

Sandmann GH, Anetzberger H., Walz L., Wörtler K., Imhoff A.B. Traumatische Schulterluxation mit knöcherner Bankart- Läsion. Wie würden Sie entscheidens stabilisieren oder nicht? *Arthroskopie*. 2007; Vol. 20 (3): 228- 32

Sandmann GH, Hinterwimmer S., Buchmann S., Wörtler K., Imhoff A.B. Jugendlicher Leistungssportler mit Schulterschmerzen. *Arthroskopie*. 2007; Vol. 20 (4)

Kraus TM, Siebenlist S, Sandmann GH, Stöckle U, Elser F  
Non-operative treatment of complete rupture of the proximal hamstring tendons. Acute functional and radiological assessment with 3-month and 2-year follow up  
*Injury*Extra40(12):263-266

## **Buchbeiträge**

---

Sandmann GH, Rose T., Imhoff A.B. „Die Diagnostik der traumatisierten Schulter“ in H..Lill:„*Die proximale Humerusfraktur*“, Thieme Verlag 2005

Sandmann GH, Imhoff A.B: „Knorpelschaden“ in M. Halle et al. „*Internistische Sportmedizin*“, Schattauer Verlag

Sandmann GH, Tischer T. „Tissue engineering of the anterior cruciate ligament and meniscus using acellularized scaffolds“ in *Tissue Engineering (InTech)*, 03/2010

Sandmann GH, Tischer T. „Tissue engineering of the ACL- efforts and achievements“ (Novascience, 2010)

Sandmann GH, König B, Stöckle U. „Azetabulumfrakturen“ in Stannard et al. „Spezielle Unfallchirurgie“

Sandmann GH „Surgical decision making“ in Biberthaler et al. „Fractures of the proximal humerus“ (Springer Verlag 2015; ARTOF: Association for the Rationale Treatment of Fractures)